L Number	Hits	Search Text	DB	Time stamp
6	2	("20010032237").PN.	USPAT;	2004/06/08
ŭ		(20010032257	US-PGPUB; EPO; JPO; DERWENT;	13:01
7	19	@ad<20000105 and setup near information and internet adj server and internet	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:05
8	1905	@ad<20000105 and 709/203.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/08 13:05
9	81	@ad<20000105 and 709/203.ccls. and setup\$ with server	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:06
10	71	@ad<20000105 and 709/203.ccls. and setup\$ with server and internet	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:06
11	25	@ad<20000105 and 709/203.ccls. and setup\$ with server and internet and ip and host and domain	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:29
12	10	bruckart	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:09
13	75	<pre>@ad<20000105 and setup same (hub or router or switch) same client</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08
15	50	<pre>@ad<20000105 and setup same (hub or router or switch) same client and internet</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:29
14	9	@ad<20000105 and setup same (hub or router or switch) same client and password	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08
16	18	@ad<20000105 and (setup or configure) same (hub or router) same client and address and host and domain	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08
17	322	@ad<20000105 and (setup or configure) same (proxy or hub or router) and client and internet same connection\$	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08
18	320	@ad<20000105 and (setup or configure) same (proxy or hub or router) and client and internet same connection\$ and serve\$	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08
20	24	@ad<20000105 and (setup or configure) same (proxy or hub or router) and client and internet same connection\$ and serve\$ and (address and domain and host) same client and password	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 13:42

Search History

6/8/04 5:45:53 PM

		•		
19	39	<pre>@ad<20000105 and (setup or configure) same (proxy or hub or router) and client and internet same connection\$ and serve\$ and (address and domain and host) same client</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 14:02
21	153	@ad<20000105 and (setup or configure) same (proxy or hub or router) same client	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 14:03
22	44	@ad<20000105 and (setup or configure) same (proxy or hub or router) same client and internet near access\$	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 14:20
23	331	<pre>@ad<20000105 and (proxy or hub or router) with (settings or configuration\$) and client with (settings or configuration\$)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 14:21
24	199	<pre>@ad<20000105 and (proxy or hub or router) with (settings or configuration\$) same client with (settings or configuration\$)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 14:21
25	163	<pre>@ad<20000105 and (proxy or hub or router) with (settings or configuration\$) same client with (settings or configuration\$) and internet</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 14:21
26	25	<pre>@ad<20000105 and (proxy or hub or router) with (settings or configuration\$) same client with (settings or configuration\$) and internet and domain near name and host and ip near address</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 14:43
27	1392	@ad<2000105 and (proxy or hub or router) near (setup or settings or configuration\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 14:43
28	309	<pre>@ad<20000105 and (proxy or hub or router) near (setup or settings or configuration\$) and internet</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 14:43
29	142	@ad<20000105 and (proxy or hub or router) near (setup or settings or configuration\$) and internet and client	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 14:44
30	84	@ad<20000105 and (proxy or hub or router) near (setup or settings or configuration\$) and internet and client and web	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 14:45
31	29	@ad<20000105 and (proxy or hub or router) near (setup or settings or configuration\$) and internet and client and web and password and settings	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 14:50
32	0	@ad<20000105 and (proxy or hub or router) with web near setup	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 14:50
33	102305	@ad<20000105 and (proxy or hub or router) with clientnear setup	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 14:53

34	@ad<20000105 and (proxy or hub or router) with client near setup	USPAT; 2004/06/08 US-PGPUB; 14:51 EPO; JPO; DERWENT;
35 13840	@ad<20000105 and (proxy or hub or router) with (setup or settings or configur\$ or parameter\$)	IBM_TDB USPAT; 2004/06/08 US-PGPUB; 14:57 EPO; JPO; DERWENT;
36 36	@ad<20000105 and (proxy or hub or router) with (setup or settings or configur\$ or parameter\$) with client	IBM_TDB USPAT; 2004/06/08 US-PGPUB; 14:57 EPO; JPO; DERWENT; IBM TDB
37 23	@ad<20000105 and (proxy or hub or router) with (setup or settings or configur\$ or parameter\$) with client and host near name and domain near name	USPAT; 2004/06/08 US-PGPUB; 15:02 EPO; JPO; DERWENT; IBM TDB
40 65	@ad<20000105 and (proxy or hub or router) with (setup or settings or configur\$ or parameter\$) near client	USPAT; 2004/06/08 US-PGPUB; 15:08 EPO; JPO; DERWENT; IBM TDB
41 124	@ad<20000105 and server and client and ip adj address and host adj name and domain adj name and password	USPAT; 2004/06/08 US-PGPUB; 15:09 EPO; JPO; DERWENT; IBM TDB
42 123	@ad<20000105 and server and client and ip adj address and host adj name and domain adj name and password and (setup or configur\$)	USPAT; 2004/06/08 US-PGPUB; 15:10 EPO; JPO; DERWENT; IBM TDB
93	@ad<20000105 and (server or router or hub or switch) and client and ip adj address and host adj name and domain adj name and password and (setup or configur\$) with (server or router or hub or switch)	USPAT; 2004/06/08 US-PGPUB; 15:30 EPO; JPO; DERWENT; IBM TDB
44 143		USPAT; 2004/06/08 US-PGPUB; 15:31 EPO; JPO; DERWENT; IBM TDB
45 33	@ad<20000105 and server with (configure or setup or set-up) same ip adj address and host adj name	USPAT; 2004/06/08 US-PGPUB; 15:39 EPO; JPO; DERWENT; IBM TDB
46 13	@ad<20000105 and soho\$ with router	USPAT; 2004/06/08 US-PGPUB; 15:44 EPO; JPO; DERWENT; IBM TDB
47 209	@ @ad<20000105 and router same password	USPAT; 2004/06/08 US-PGPUB; 15:45 EPO; JPO; DERWENT; IBM TDB
48 17	@ad<20000105 and router same password and internet	USPAT; 2004/06/08 US-PGPUB; 15:45 EPO; JPO; DERWENT; IBM TDB
49 11	@ad<20000105 and router same password and internet and client	USPAT; 2004/06/08 US-PGPUB; 15:45 EPO; JPO; DERWENT; IBM TDB

		•		
50	52	@ad<20000105 and router same password and internet and client with configur\$	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 15:46
51	47	@ad<20000105 and router same password and internet and client with configur\$ and ip adj address	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 15:49
52	75	@ad<20000105 and password and internet and client with configur\$ and ip adj address and host adj name and domain adj name and server	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 16:52
53	1	@ad<20000105 and memory near removably and router	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 16:54
54	2010	@ad<20000105 and memory near removably or detachable and server	USPĀT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 16:54
55	21	@ad<20000105 and memory near (removably or detachable) and server	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 16:54
56	576	@ad<20000105 and memory near (removable or detachable) and server	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 16:55
57	559	@ad<20000105 and (removable or detachable) adj memory and server	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 16:55
58	542	@ad<20000105 and (removable) adj memory and server	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 17:07
63	1	@ad<20000105 and (removable) near "semiconductor memory" and server	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 17:09
64	0	<pre>@ad<20000105 and (removable) near "semiconductor memory" and 709/203.ccls.</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 17:09
65	0	<pre>@ad<20000105 and (removable) near "semiconductor memory" and 709/200.ccls.</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 17:09
66	0	@ad<20000105 and (removable or portable or detachable) near "semiconductor memory" and 709/200.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 17:10
67	106	<pre>@ad<20000105 and (removable or portable or detachable) near "semiconductor memory"</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 17:10

			· · · · · · · · · · · · · · · · · · ·	10001100
68	1	@ad<20000105 and (removable or portable	USPAT;	2004/06/08
		or detachable) near "semiconductor	US-PGPUB;	17:10
		memory" and server	EPO; JPO;	
			DERWENT;	
			IBM_TDB	}
69	79		USPAT;	2004/06/08
		or detachable) near "semiconductor	US-PGPUB;	17:10
		memory" and (data or settings)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
70	5	@ad<20000105 and (removable or portable	USPAT;	2004/06/08
		or detachable) near "semiconductor	US-PGPUB;	17:12
		memory" and (data or settings) same	EPO; JPO;	
		network	DERWENT;	
		1100110211	IBM TDB	
71	2	@ad<20000105 and (removable or	USPAT;	2004/06/08
/ -	2	detachable) near "semiconductor memory"	US-PGPUB;	17:12
		and (data or settings) same network	EPO; JPO;	17:12
		and (data or settings) same network		
			DERWENT;	
		0 1.0000000	IBM_TDB	0001100100
72	46		USPAT;	2004/06/08
		detachable) near "semiconductor memory"	US-PGPUB;	17:26
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
73	0		USPAT;	2004/06/08
		detachable) near "semiconductor memory"	US-PGPUB;	17:14
		and portable adj memory	EPO; JPO;	
			DERWENT;	
			IBM TDB	}
74	0	@ad<20000105 and (removable or	USPAT;	2004/06/08
	-	detachable) near "semiconductor memory"	US-PGPUB;	17:14
		and mobile adj memory	EPO; JPO;	
		and money	DERWENT;	
			IBM TDB	
75	2755	@ad<20000105 and (removable or	USPAT;	2004/06/08
, ,	2133	detachable) near memory	US-PGPUB;	17:26
		decachable; hear memory	EPO; JPO;	17.20
			DERWENT;	
			IBM TDB	
7.0	705	0-1420000105 1 /		2004/06/00
76	705	@ad<20000105 and (removable or	USPAT;	2004/06/08
		detachable) near memory and portable	US-PGPUB;	17:26
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
77	151	@ad<20000105 and (removable or	USPAT;	2004/06/08
		detachable) near memory and portable and	US-PGPUB;	17:26
		computer and server	EPO; JPO;	
		-	DERWENT;	
				i .